

Index

42 inches, horizontal view at, 146
100-year flood, 128

A

Access to building data, 24
Accreditation profile, 136
Acid rain, 136
Acoustical performance (LEED S), 31
Active solar design, 95
ADA (Americans with Disabilities Act), 9, 62
Adapted plant, 136
Adaptive reuse, 70, 136
Adhesive, 137
 laminate, 148
Administrator, project, 32
Advanced Buildings Core Performance Guide, 129
Advanced Energy Design Guide, 117
Advanced technology vehicle, 137
Aerated autoclaved concrete, 85
Agency review (IPD project phase), 58
Agrifiber product, 137, 147
AIA (American Institute of Architects), 9, 53
 AIA Integrated Project Delivery: A Guide, 9
 Document A195, 55
 Document A295, 55
 Document B195, 55
 Document B214, 63
 Document C196, 55
 Document C197, 55
Air
 changes per hour, 137
 exhaust, 144
 recirculated, 154
 return, 155
Airlock, 80
Albedo, 73, 120, 137, 156
Aligning prerequisites and credits, 19
Alternative fuel vehicle, 137
American Institute of Architects (*see* AIA)
American National Standards Institute (*see* ANSI)
American Society of Heating, Refrigerating and
 Air-Conditioning Engineers (*see* ASHRAE)
American Society of Mechanical Engineers (*see*
 ASME)

Americans with Disabilities Act (*see* ADA)
*Americans with Disabilities Act: Standards for
 Accessible Design*, 9
Ancillary references, 9
Angle of maximum candela, 137
ANSI (American National Standards Institute),
 39, 116
 ANSI/ASHRAE 52.2, 116, 150
 ANSI/ASHRAE 62.1, 62, 117, 141, 144, 147,
 149, 150, 151
 ANSI/ASHRAE/IESNA 90.1, 42, 62, 117,
 123, 137, 154
 ANSI/ASTM E779, 119
 ANSI/BIFMA M 7.1, 126
 ANSI/BIFMA X 7.1, 126
 ANSI/BOMA Z 65.1, 126
 ANSI/SMACNA 008, 126
Anticorrosive paint, 137
Aperture, effective, 99
APPA/Leadership in Educational Facilities, 126
Appeals process, 37
Appearance of green building, 51
Application
 activity, 24
 approval notification, 10
 LEED Green Associate exam, 9
Applications Manual 10, *Natural Ventilation in
 Non-domestic Buildings*, 127
Aquatic system, 137
Aquifer, 137
Architecture, landscape, 148
Aromatic compound, 137
ASHRAE (American Society of Heating, Refrigerating
 and Air-Conditioning Engineers),
 116–118, 150
 ANSI/ASHRAE 52.2, 116, 150
 ASHRAE 55, 62, 116, 140, 151
 ANSI/ASHRAE 62.1, 62, 117, 141, 144, 147,
 149, 150, 151
 ANSI/ASHRAE/IESNA 90.1, 42, 62, 117,
 123, 137, 154
 Guideline 0, 64
Asia-Pacific Economic Cooperation, 9

ASME (American Society of Mechanical Engineers), 126
 ASME A112.18.1, 126
Assembly recycled content, 129, 137
ASTM International, 118–121
 ASTM C1371, 118
 ASTM C1549, 118
 ASTM D1003, 119
 ASTM E408, 119
 ASTM E779, 119
 ASTM E903, 120
 ASTM E1918, 120
 ASTM E1980, 73, 121
 ASTM E1903, 120
At risk, construction manager, 59
Autoclaved aerated concrete, 85
Automobile
 impact of, 68
 sharing, 139
Avoided cost, 49
Awareness and Education (LEED H), 39

B

Balancing damper, 137
Balloting, 18, 19
Baseline
 building performance, 137
 energy performance, 138
 water usage, 76
Basin
 filtration, 144
 infiltration, 147
Basis of design, 137
Bay Area Air Quality Management District, 126
BD+C (LEED AP specialty), 6, 7
Bedroom, 137
Berm, earth, 88
Best management practice, 137
*Best Practices of ISO 14021: Self-Declared Environmental
 Claims*, 9
BIFMA (*see* Business and Institutional Furniture
 Manufacturer's Association)
BIM (*see* Building information modeling)
Bioaccumulant, 138

- Biodiversity, 138
 - Biomass, 138
 - Bioremediation, 138
 - Bioretention, 138
 - Black body, 119, 120
 - Blackwater, 75, 138
 - Board of Directors, USGBC, 22
 - BOMA (see Building Owners and Managers Association)
 - Borate, 138
 - Boundary
 - project, 61
 - property, 61
 - site, 24
 - BRE Environmental Assessment Method, 39
 - Breathing zone, 138
 - Bridge, thermal, 78, 80, 157
 - Brownfield site, 138
 - Budget, project, 61
 - Build It Green, 39
 - Buildable land, 138
 - Building
 - code, 23, 61
 - commissioning, 63, 112, 140, 144
 - data, access to, 24
 - density, 138
 - energy performance baseline, 138
 - envelope, 77, 138
 - and climate, 79
 - moisture in, 88
 - footprint, 70, 138
 - information modeling (BIM), 56
 - integrated photovoltaics, 139
 - material, contaminant in, 105
 - operation, energy use, 51
 - orientation, 71
 - Owners and Managers Association (BOMA), 126
 - placement, 68, 71
 - related illness, 139
 - shell, 138
 - Technologies Program, 122
 - to site area ratio, 24
 - Built environment, 139
 - BuiltGreen, 39
 - Bureau of Labor, 9
 - Business and Institutional Furniture Manufacturer's Association (BIFMA), 126
 - Business cards, use of logos on, 12
 - Buyout (IPD project phase), 58
- C**
- Calibrated simulation, 48
 - California
 - Code of Regulations, 118
 - Title 24, Part 6, 127
 - Department of Health Services, 127
 - Low Rise Residential Alternative Calculation Method Approval Manual, 127
 - California's Energy Efficiency Standards for Residential and Non-Residential Buildings, 118
 - Candela, 139
 - angle of maximum, 137
 - Candidate Handbook, 1, 8, 9, 10
 - Car
 - impact of, 68
 - sharing, 139
 - Carbon
 - dioxide, 139
 - monitoring, 139
 - footprint, 21
 - Trust, 127
 - Carpet
 - and Rug Institute, 127
 - system, indoor, 147
 - Cast-in-place concrete, 85
 - foundation, 82
 - Catchment area, 139
 - C&D waste (see construction and demolition waste)
 - CDL waste (see construction, demolition, and land clearing waste)
 - Center for Resource Solutions, 9, 127
 - Central vacuum system, 139
 - Certificate, renewable energy (REC), 89
 - Certification, 37
 - application, 36
 - body, 3
 - initial, 30, 31
 - mark, 12
 - process (LEED H), 40
 - CFC (see chlorofluorocarbon)
 - Chain of custody, 139
 - certification, 103, 128
 - Charrette, 139
 - Chartered Institution of Building Services Engineers (CIBSE), 127
 - Checklist
 - project, 32–33
 - rating system, 25
 - Chemical component restriction, 139
 - Chilled water, measurement, 114
 - Chlorofluorocarbon (CFC), 87, 102, 139
 - CIBSE (see Chartered Institution of Building Services Engineers)
 - CIR (see Credit Interpretation Request)
 - Circulation
 - demand-controlled, 142
 - loop, 139
 - Clean Air Act, 127
 - Clean Water Act, 127, 152
 - Cleaning equipment and products (O&M), 111
 - Clerestory window, 99
 - Climate
 - and building envelope, 79
 - zone, 139
 - Closeout (IPD project phase), 58
 - CMP (see Credentialing Maintenance Program)
 - CMU (see Concrete masonry unit)
 - CNU (see Congress for the New Urbanism)
 - Coating
 - flat, 144
 - indoor, 147
 - non-flat, 151
 - Code, building, 23, 61
 - Cogeneration, 140
 - Cold climate and building envelope, 79
 - Collector, solar, 95
 - Colors, logo, 12–13
 - Combustion exhaust gas, 140
 - Comfort
 - criteria, 140
 - thermal, 157
 - Commercial Buildings Energy Consumption Survey, 122
 - Commercial Interiors rating system (see LEED for Commercial Interiors)
 - Commissioning, 63–64, 140
 - authority, 108, 140
 - enhanced, 112
 - existing building, 144
 - fundamental, 64, 112
 - plan, 140
 - report, 112
 - specification, 140
 - team, 140
- Committees, USGBC, 17–18
- Common denominator, 19
- Community resource, 68
- Compendium of Methods for the Determination of Air Pollutants in Indoor Air*, 124
- Compensating shower valve, 140
- Completed design area, 140
- Composite
 - panel, 140
 - wood, 140, 147
- Composting toilet system, 140
- Comprehensive Environmental Response, Compensation, and Liability Act, 120, 140
- Comprehensive Procurement Guidelines*, 124
- Concentrate, 141
- Conceptualization (IPD project phase), 58
- Concrete
 - autoclaved aerated, 85
 - block foundation, 82
 - cast-in-place foundation, 82
 - framing, 84, 85
 - masonry unit (CMU), 82
 - precast, 83
- Conditioned space, 141
- Configuration, building, 71
- Conflict resolution, integrated project delivery, 57
- Congress for the New Urbanism (CNU), 41
- Conservation, energy, 68
 - measure, 143
- Constructed wetland, 141
- Construction
 - and demolition (C&D) waste, 141
 - demolition, and land clearing (CDL) waste, 141
 - IAQ management plan, 141
 - infill, 70
 - IPD project phase, 58
 - limit, 70
 - manager at risk, 59
 - phase, 107
 - definition, 60
 - submission, 33
 - waste, 51
 - management, 108, 109
 - management program, 71
- Construction General Permit*, 124
- Contaminant, 141
- Contractor-led design-build, 53
- Control
 - daylighting, 100
 - of lighting and temperature, occupant, 105
 - personal environmental, 152
- Conventional
 - irrigation, 141
 - turf, 141
- Cooling
 - passive solar, 90
 - radiative, 94
 - system, 90
- Copier, high-volume, 146
- Core & Shell Development rating system (see LEED for Core & Shell)
- Core and shell
 - energy modeling guidelines, 27
 - project scope checklist, 28
- Corporation, limited liability, 58
- Corrected design ventilation rate, 141

- Cost
 avoided, 49
 /benefit analysis, 46–49
 hard vs. soft, 47
 impact on credits pursued, 46
 increase, green building, 43–44
Cost of Green Revisited, 9, 44
 Credentialing Maintenance Program, 3, 4, 5, 6, 10, 11, 141
 Credit
 alignment, 19, 20
 Interpretation Request (CIR), 32
 appeal, 35
 ruling on, 34
 submission, 34
 streamlined, 29
 synergy, 44
 tradeoff, 44
 weighting, 19, 20
 Criteria design (IPD project phase), 58
 Curfew hour, 141
Custodial Staffing Guidelines, 126
 Custody, chain of (*see* Chain of custody)
- D**
- Damper, balancing, 137
 Data sheet, material safety, 159
 Davis Langdon, 9, 44
 Daylight
 components, 98
 factor, 141
 glazing, 141
 zone, 97
 Daylighting, 71, 97, 141
 and electric lighting, 101
 and interior design, 101
 control, 100
 modeling, 101
 Decision maker, 33–34, 36
 Declarant, 33–34, 36
 Deconstruction, 71
 Default occupancy count, 27
 Degree day, infiltration, 147
 Dehumidification, 94
 Demand-controlled circulation, 142
 Density, 70, 142
 building, 138
 Department (*see* U.S. Department)
 Depletion, ozone, 87, 102
 Design
 basis of, 137
 -bid-build, 52–53
 -build, 53, 54
 -Build Institute of America, 53
 -led design-build, 53
 intent, 152
 light output, 142
 phase, 67
 definition, 60
 review, 35
 submission, 33
 Detailed design (IPD project phase), 58
 Detention pond, 142
 Development
 edge, 143
 footprint, 70, 142
 infill, 147
 low-impact, 149
 Diffuse thermal storage, 95
- Direct
 line of sight to perimeter vision glazing, 142
 thermal storage, 95
 Disciplinary policy, 5, 6, 7, 10, 12
 Disclosure, full, 144
 Discount
 LEED Green Associate exam, 10
 student, 10
 USGBC member, 10, 18
 Distributed generation, 90
 Distribution uniformity, 142
 Disturbance, habitat, 68
 Disturbed lot area, 142
 Diverted waste, 142
 Drip irrigation, 142
 Dry well, 142
 Dual-flush toilet, 142
 Durability, 142
 inspection, 39
 planning and management, 65–66
 risk assessment form, 65
Durability by Design: A Guide for Residential Builders and Designers, 66
 Dwelling unit, 17
- E**
- Earth berm, 88
 East-west building orientation, 71
 Ecological restoration, 142
 Ecologically appropriate site feature, 142
 EcoLogo, 123
 Ecosystem, 143
 Edge development, 143
 Effective aperture, 99
 Efficiency, thermal, 87
 Efficiency Valuation Organization, 113
 Electric lighting and daylighting, 101
 Electrical demand, measurement, 113
 Electrical energy, measurement, 113
 Electricity, source, 89
 Eligibility
 LEED AP exam, 6
 LEED AP Fellow, 7
 LEED Green Associate exam, 5, 10
 Embodied energy, 143
 Emissions offset, 143
 Emissivity (emittance), 118, 119, 143
 thermal, 73, 148, 157
 Employer verification, LEED Green Associate exam, 10
 Energy
 and Atmosphere, 25, 76
 certificate, renewable (REC), 89
 conservation, 68
 measure, 143
 embodied, 143
 modeling guidelines, core and shell, 27
 off-site renewable, 89
 Policy Act, 122
 Policy and Conservation Act, 122
 product, renewable, 89
 savings performance contract, 113
 use, typical building operation, 51
Energy Performance of LEED for New Construction Buildings, 9, 76
 Energy Star, 42, 124, 138, 143
 Home, 39, 143
 Portfolio Manager, 124, 143
 roofing material, 78
 Engineered wood product, 83
- Enhanced commissioning, 112
 Envelope, building, 77, 138
 and climate, 79
 moisture in, 88
 thermal, 157
 Environmental
 attributes of green power, 143
 Choice Certification Criteria Document (CCD), 123
 concerns, relative importance, 20
 laws, 23
 Protection Agency (*see* U.S. Environmental Protection Agency)
 quality, indoor, 147
 Quality, Indoor (credit category), 25, 104
 Site Assessment, 120
 tobacco smoke (ETS), 104, 143
Environmental Building News magazine, 44
Environmental Technology Verification: Large Chamber Test Protocol for Measuring Emissions of VOCs and Aldehydes, 124
 Environmentally preferable
 product, 143
 purchasing, 143
 EPA (*see* U.S. Environmental Protection Agency)
 Equivalent occupancy, full-time, 76
 Erosion, 68, 143
 and sedimentation plan, 108
 control, 72
 ETS (*see* Environmental tobacco smoke)
 Eutrophication, 143
 Evapotranspiration, 143
 Exam format,
 LEED AP exam, 6
 LEED Green Associate exam, 5
 Exemplary performance, 25
 Exemption, licensed professional, 30
 Exfiltration, 144
 Exhaust
 air, 144
 gas, combustion, 140
 Existing building commissioning, 144
 Existing Buildings: Operations & Maintenance rating system (*see* LEED for Existing Buildings)
 Existing Schools rating system (*see* LEED for Existing Schools)
Ex situ remediation, 144
 Exterior water management, 74
 External thermal load, 78
- F**
- Facility startup amount, 64
 Failing score, LEED Green Associate exam, 12
 Fan pressurization method, 119
 Farmland, prime, 153
 definition, 121
 Federal Emergency Management Agency (FEMA), 128
 Fee
 registration, 32
 tipping, 157
 Fenestration, 80 (*see also* Window)
 Filter, high-efficiency particulate air (HEPA), 146
 Filtration basin, 144
 Fish and Wildlife Service (*see* U.S. Fish and Wildlife Service)
 Fixture sensor, 144
 Flat coating, 144
 Flood, 100-year, 128
 Floodplain, 144

- Floor area
 - minimum, 24
 - ratio, 70
- FloorScore, 130
- Fly ash, 144
- Flywheel effect, 79
- Footcandle, 144
- Footprint
 - building, 70, 138
 - carbon, 21
 - development, 70, 142
- Forest Management Certification, 128
- Forest Stewardship Council, 103, 128
- Form, licensed professional exemption, 30
- Formaldehyde, 105, 144
- Foundation, 82
- Foundations of the Leadership in Energy and Environmental Design Environmental Rating System*, 2, 9
- Framing system, 83
- Friable, 144
- FTE (see Full-time equivalent)
- Fuel efficient vehicle, 69
- Full
 - cutoff luminaire, 145
 - disclosure, 144
 - time equivalent (FTE) occupancy, 24, 76, 145
- Functional performance testing, 145
- Fundamental commissioning, 63–64, 112
- G**
- Gas
 - combustion exhaust, 140
 - greenhouse, 146
- GBCI (see Green Building Certification Institute)
- General Services Administration (GSA), 2, 9
 - GSA 2003 Facilities Standards*, 9
- Generation
 - distributed, 90
 - on-site renewable, 89
- Glare, 92, 93, 145
- Glazing, 81
 - daylight, 141
 - factor, 145
 - vision, 158
- Global warming potential, 145
- Goal, project, 60
- Good Practice Guide 237, *Natural Ventilation in Non-domestic Buildings*, 127
- Grassed swale, 145
- Graywater, 75, 145
- Green
 - Associate (see LEED Green Associate)
 - Associate exam (see LEED Green Associate exam)
 - building, 51
 - appearance, 51
 - cost increase, 43–44
 - Building Certification Institute (GBCI), 1, 2–4, 6, 7, 8, 9, 10, 11, 12, 19, 23
 - logos and trademarks, 12–14
 - Building Design & Construction
 - LEED AP specialty, 6, 7
 - rating systems, 15–16
 - reference guide, 17
 - Building Operations & Maintenance
 - LEED AP specialty, 6, 7
 - rating systems, 16
 - reference guide, 17
 - cleaning, 146
 - Home Design & Construction
 - LEED AP specialty, 6, 8
 - rating system, 17
 - Infrastructure and Buildings (LEED ND), 42
 - Interior Design & Construction
 - LEED AP specialty, 6, 7
 - rating systems, 16
 - reference guide, 17
 - Label and Green Label Plus, 127
 - Neighborhood Planning & Development
 - LEED AP specialty, 6, 8
 - rating system, 17
 - Point Rated, 39
 - power, 89
 - rater, 38, 39, 40, 146
 - roof, 158
 - Seal, 125
 - GS-11, 137, 139, 152, 158
 - GS-37, 141
 - Star, 39
- Greenbuild logo, 12–14
- Green-e product certification, 127
- Greenfield, 146
- Greenguard Environmental Institute, 128
- Greenguard Indoor Air Quality Certification Program*, 128
- Greenhouse gas, 146
- Ground coupling, 94
- Group multi-occupant space, 146
- GSA (see General Services Administration)
- GSA 2003 Facilities Standards*, 9
- Guidance on Innovation & Design (ID) Credits*, 9
- Guidance Specifying Management Measures for Sources of Nonpoint Pollution in Coastal Waters*, 125
- Guidelines for CIR Customers*, 9
- Guide to Purchasing Green Power*, 9, 89
- H**
- Habitat disturbance, 68
- Halon, 146
- Hard cost, 47
- Hardscape, 73, 146
- Harvesting rainwater, 75
- Hazardous waste, 146
- HCFRC (see Hydrochlorofluorocarbon)
- HD+C (LEED AP specialty), 6
- Healthcare rating system (see LEED for Healthcare)
- Heat island effect, 73, 146, 149
- Heating
 - passive solar, 90
 - system, 90
 - water, 101
- Height limitations, 70
- HFC (see Hydrofluorocarbon)
- High-efficiency
 - particulate air (HEPA) filter, 146
 - toilet, 146
- High-occupancy vehicle, 146
- High-volume copier, 146
- Home
 - Energy Rating System, 146
 - Energy Star, 39, 143
 - size adjustment (LEED H), 40
- Homes rating system (see LEED for Homes)
- Horizontal view at 42 inches, 146
- Hot water, measurement, 114
- Hot/dry climate and building envelope, 79
- Hot/moist climate and building envelope, 79
- Humidity, relative, 155
- Hundred-year flood, 128
- HVAC, 90
 - system, 146
 - systems and equipment (O&M), 111
- Hybrid vehicle, 146
- Hydrochlorofluorocarbon (HCFC), 87, 102, 146
- Hydrofluorocarbon (HFC), 147
- Hydrology, 72
- Hydronic system, 147
- I**
- IAQ (see Indoor air quality)
- IAQ Guidelines for Occupied Buildings Under Construction*, 108
- I-BEAM, 125
- ICC (see International Code Council)
- ICF (see Insulating concrete form)
- ID+C (LEED AP specialty), 6, 7
- Identification requirements, 9, 11
- IESNA RP-33-99, 128
- Illuminance, 147
- Imperviousness, 147
- Impervious surface, 147
- Implementation documents (IPD project phase), 58
- Importance, environmental concerns, 20
- Improvement, percentage, 152
- Indigenous plant, 147, 150
- Individual occupant workspace, 147
- Indoor
 - adhesive, sealant, and/or sealant primer product, 147
 - air quality (IAQ), 147
 - construction, 141
 - procedure, 117
 - systems and equipment (O&M), 111
 - carpet system, 147
 - composite wood or agrifiber product, 147
 - environmental quality, 147
 - Environmental Quality (credit category), 25, 104
 - paint or coating product, 147
 - water efficiency, 76
- Indoor Air Quality Building Education and Assessment Model (I-BEAM)*, 125
- Infill
 - construction, 70
 - development, 147
- Infiltrate, 147
- Infiltration, 77, 147
 - basin and trench, 147
 - degree day, 147
- Infrared emissivity (emittance), 148, 157
- Infrastructure, 68
- Initial certification, 30, 31
- Innovation
 - and Design Process, 39, 42
 - credit, 25
 - in Design, 25
 - credit, 66
- In situ* remediation, 148
- Installation inspection, 148
- Insulating concrete form (ICF), 83, 85
- Insulation, 80, 87
- Integrated
 - building design, 44–46
 - part load value, 148
 - pest management, 148

- project delivery (IPD), 53–59
 - conflict resolution, 57
 - legal considerations, 58
 - phases, 58
 - principles, 55
 - risk, 57
- Integrated Project Delivery: A Guide*, 55
- Interior
 - design and daylighting, 101
 - lighting power allowance, 148
 - nonstructural components reuse, 148
 - thermal load, 78
- International
 - Association of Plumbing and Mechanical Officials, 128
 - Building Code, 148
 - Code Council, 9, 17, 39, 61–62, 128
 - ICC/ANSI A117.1, 62
 - Energy Conservation Code, 139
 - Energy Efficiency Code, 143
 - Organization for Standardization (ISO), 3, 129
 - ISO 14021, 129, 153
 - ISO 17024, 3
 - Performance Measurement and Verification Protocol (IPMVP), 47, 113, 128, 129
 - Plumbing Code, 128, 145
 - Residential Code, 39
- Invasive
 - plant, 148
 - species, 148
- IPD (see Integrated project delivery)
- IPMVP (see International Performance Measurement and Verification)
- Irrigation
 - conventional, 141
 - drip, 142
 - quality water, 75
- Island effect, heat, 73, 146, 149
- ISO (see International Organization for Standardization)
- J**
- Joint venture, 58
- K**
- Key supporting participant, 56
- L**
- Laminate adhesive, 148
- Land, buildable, 138
- Landfill, 148
 - in LEED for Schools, 32
- Landscape, 88
 - architecture, 148
 - area, 148
 - maintenance (O&M), 111
- Langdon, Davis, 9, 44
- Leased space, 27
- Least-toxic pesticide, 148–149
- LEED
 - 2009, 15, 25
 - new features, 19
 - Accredited Professional, 4
 - credentialing program, 19
 - Fellow, 3, 7
 - points for, 25
 - prior to LEED 2009, 7
 - with specialty, 3, 6
 - certification, cost increase, 43–44
 - for Commercial Interiors (LEED CI), 4, 6, 16, 26–27
 - prerequisites, 26
 - LEED AP specialty exam, 7
 - for Core & Shell Development (LEED CS), 6, 16, 27–28
 - prerequisites, 27
 - for Existing Buildings: Operations & Maintenance (LEED EBO&M), 4, 6, 15, 16, 28–31
 - LEED AP specialty exam, 7
 - prerequisites, 28
 - reference guide, 9
 - for Existing Schools (LEED ES), 16
 - for Healthcare (LEED HC), 6, 16
 - for Homes (LEED H), 6, 17, 25, 38–41, 65
 - certification process, 40
 - competitors, 38
 - prerequisites, 38
 - rating system, 9
 - reference guide, 17
 - for Neighborhood Development (LEED ND), 6, 17, 39, 41
 - prerequisites, 41
 - for New Construction and Major Renovations (LEED NC), 4, 6, 15, 26
 - prerequisites, 26
 - LEED AP specialty exam, 7
 - for Retail: Commercial Interiors (LEED R-CI), 6, 16
 - for Retail: New Construction (LEED R-NC), 16
 - for Schools (LEED S), 6, 16, 31
 - prerequisites, 31
 - Green Associate, 3, 5–6
 - Green Associate exam, 4, 5–6
 - application, 9
 - application approval notification, 10
 - discounts, 10
 - eligibility, 10
 - employer verification, 10
 - failing score, 12
 - identification requirements, 9, 11
 - policies and procedures, 9
 - retaking, 12
 - scheduling, 10
 - special provisions, 10
 - strategy, 11
 - tips, 10
 - Green Building Rating System, 15
 - logos and certification marks, 12–14
 - Online, 6, 19, 22, 32, 33–36
 - Scorecard, 33
 - project boundary, 61
 - Steering Committee, 9, 18, 19, 37
 - Technical and Scientific Advisory Committee, 37
- Legal considerations, integrated project delivery, 58
- Letter template, 33, 36
- Licensed professional exemption, 30
- Life-cycle
 - cost (LCC) analysis, 48–49, 149
 - inventory, 149
- Light
 - level sensor, 100
 - output, design, 142
 - pollution, 149
 - shelf, 99
- Lighting, 97
 - power density, 149
- Lighting for Exterior Environments*, 128
- Limited liability corporation, 58
- Line of sight to perimeter vision glazing, direct, 142
- Load, thermal, 78
- Local
 - heat island effect, 149
 - material, 103
 - zoning requirement, 149
- Locations and Linkages (LEED H), 39
- Logos and trademarks, 12–14
- Lot, 149
 - area, disturbed, 142
- Low-Cost Green Design and Construction Practices*, 44
- Low-impact development, 149
- Low-slope roof, 149
- Lumen, 149
- Luminaire, full-cutoff, 145
- M**
- Maintenance
 - definition in LEED EBO&M, 29
 - landscape, 111
- Makeup air, 149
- Management
 - best practice, 137
 - Subcommittee (MSC), 37
- Manual
 - operation and maintenance, 112
 - recommissioning management, 112
- Masonry
 - block foundation, 82
 - framing, 84
- Mass
 - thermal, 79, 95
 - transit, 149
 - vehicle, 149
- Mat, walk-off, 159
- Material
 - safety data sheet, 159
 - sustainable, 102
- Materials (O&M), 111
- Materials and Resources, 25, 102
- Maximum candela, angle of, 137
- Measurement
 - and verification (M&V), 47, 113
 - electricity, 113
 - water, 114
- Measuring performance, 112
- Mechanical ventilation, 150
- Member discounts, USGBC, 18
- Membership, USGBC, 17–18
- Metering control, 150
- Methylmercury, 150
- Microirrigation, 150
- Minimum efficiency reporting value (MERV), 116, 150
- Minimum program requirements (MPRs), 19, 23, 28, 37, 61
- Mitigated stormwater, 150
- Mixed-mode ventilation, 150
- Modeling guidelines, energy, 27
- Model Lighting Ordinance, 152
- Moisture, in building envelope, 88
- Monitor, roof, 100
- Monitoring
 - carbon dioxide, 139
 - point, 150
- Montreal Protocol, 102, 127, 129

- Most effective common denominator, 19
- Multi-occupant space, group, 146
- Multiparty agreement, 58
- Multi-prime, 59
- Multitenant buildings, 28, 31
- N**
- National
 - Association of Home Builders, 39, 66
 - Green Building Standard, 39
 - Institute of Standards and Technology, 20, 130
- Native/adapted vegetation, 150
- Native plant, 147, 150
- Natural
 - area, 150
 - light, 105
 - Resources Defense Council (NRDC), 41
 - site feature, 72
 - ventilation, 94, 150
- Natural Ventilation in Non-domestic Buildings*
 - Applications Manual 10, 127
 - Good Practice Guide 237, 127
- Neighborhood
 - Development rating system (*see* LEED for Neighborhood Development)
 - Pattern and Design (LEED ND), 41
 - Planning and Development (LEED AP specialty), 6
- NEMA LL 8, 129
- Net metering, 150
- Neutral home, 40
- New Building Institute, 9, 76, 129
- New Construction and Major Renovations rating system (*see* LEED for New Construction)
- No-disturbance zone, 150
- Non-flat coating, 151
- Non-friable, 151
- Non-occupied space, 151
- Nonporous sealant, 151
- Nonpotable water, 151
- Non-regularly occupied space, 151
- Non-roof impervious surface, 151
- Nontoxic material, 102
- Non-water using urinal, 151
- NP+D (LEED AP specialty), 6
- NPDES Permit Program Basics, 152
- O**
- O+M, (LEED AP specialty), 6, 7
- O&M (*see* Operations and Maintenance)
- Occupancy
 - count, default, 27
 - full-time equivalent, 24
 - rate, minimum, 24, 28
 - sensor, 100
- Occupant control of lighting and temperature, 105
- Occupied
 - space
 - non-regularly, 151
 - regularly, 154
 - zone, 151
- Offgassing, 151
- Office of Energy Efficiency and Renewable Energy, 122
- Offset, emissions, 143
- Off-site renewable
 - energy, 89
 - generation, 89
- Online, LEED (*see* LEED Online)
- On-site wastewater treatment, 151
- Open
 - grid pavement, 151
 - site area, 151
 - space, 68, 70
 - area, 151
- Operating costs, documentation, 26
- Operation
 - of building, energy use, 51
 - and maintenance
 - manual, 112
 - staff, 151
- Operations and maintenance (O&M), 110
 - phase, definition, 60
- Opting in, 7
- Orientation, building, 71
- Outdoor
 - air, 151
 - lighting zone definitions, 152
 - water efficiency, 75
- Owner's project requirement, 152
- Ozone depletion, 87, 102
- P**
- Paint
 - anticorrosive, 137
 - indoor, 147
- Paints and coatings, 152
- Panel, composite, 140
- Parking, 73
 - preferred, 153
 - subsidy, 152
 - tuck-under, 158
 - underground, 158
- Partially measured retrofit isolation, 48
- Participants, primary, 56
- Partnership for Advancing Technology in Housing, 66
- Passive solar
 - cooling, 90
 - design, 90
 - heating, 90
- Pathway, selective, 77
- Pavement, 73
 - open grid, 151
- Payback
 - analysis, simple, 47
 - equations, standardized, 47–48
 - period, 49
- Peak electrical demand, 113
- Pedestrian
 - access, 68, 152
 - path, 69
- Percentage improvement, 152
- Performance
 - contract, energy savings, 113
 - exemplary, 25
 - method, ASHRAE 90.1, 62–63, 117
 - period, 23, 30
 - testing, functional, 145
- Permanent wood foundation (PWF), 82
- Permeable surface, 152
- Personal environmental control, 152
- Perviousness, 152
- Pesticide, least-toxic, 148–149
- Pest management, integrated, 148
- Phenol-formaldehyde, 152
- Phosphorus, total, 157
- Photovoltaic energy, 152
- Picogram, 152
 - per lumen hour, 152
- Placement, building, 71
- Plant
 - adapted, 136
 - indigenous, 147, 150
 - invasive, 148
 - native, 147, 150
- Platinum certification, refund of fees, 32
- Point source, 152
- Policies and procedures, LEED Green Associate exam, 9
- Pollutant, 105, 152
- Polychlorinated biphenyl, 153
- Pond, detention, 142
- Porous sealant, 153
- Portfolio Manager, Energy Star, 124, 143
- Post-consumer (postindustrial)
 - material, 103
 - recycled content, 153
 - waste, 129
 - recycling, 153
- Potable water, 153
- Power
 - green, 89
 - rated, 154
- Precast concrete, 83
- Precertification, 28
- Pre-consumer
 - content, 129, 153
 - material, 103
- Pre-design phase
 - agenda, 60
 - definition, 60
- Preferred parking, 153
- Preparation, LEED Green Associate exam, 8
- Prerequisites
 - LEED CI, 26
 - LEED CS, 27
 - LEED EBO&M, 28
 - LEED H, 38
 - LEED NC, 26
 - LEED ND, 41
 - LEED S, 31
- Prescriptive method, ASHRAE 90.1, 62, 117
- Pressurization method, fan, 119
- Previously developed site, 153
- Primary
 - participants, 56
 - references, 9
- Prime farmland, 153
 - definition, 121
- Primer, 153
- Prior condition area, 154
- Process water, 154
- Productivity, 154
- Professional exemption, 30
- Profile, accreditation, 136
- Project
 - administrator, 32
 - alliance, 58
 - area, 24
 - boundary, 61
 - budget, 61
 - checklist, 32–33
 - cost, 47
 - goal, 60
 - registration, 32
 - schedule, 61
 - scope checklist, core and shell, 28
 - team, selecting, 63

- Prometric, 3, 10, 11
 Property
 area, 154
 boundary, 24, 61
 Proposed building performance, 154
 Protocol, Montreal, 102
 Provider, 17, 38, 39, 40, 154
 Public
 comment, 18, 19
 Technology, 9, 59
 transportation, 68, 154
 PWF (see Permanent wood foundation)
- R**
- Radiative cooling, 94
 Radon, 154
 Rain, acid, 136
 Rainwater harvesting, 75
 Rapidly renewable material, 103, 154
 Rated power, 154
 Rating system (see also LEED)
 checklist, 25
 determining applicability, 24
 development, 17, 18
 market segments, 15
 Ratio
 building to site area, 24
 skin to volume, 71
 REC (see Renewable energy certificate)
 Receptacle load, 154
 Recertification, 30, 31
 Recirculated air, 154
 Reclaimed
 material, 154
 wastewater, 75
 Recommissioning management manual, 112
 Recyclable material, 103
 Recycled
 content, 153, 154
 assembly, 129, 137
 material, 103
 Recycling, 154
 Reference guides, 4, 17
 References, primary and ancillary, 9
 Reflectance (see Solar reflectance)
 Refrigerant, 154
 management, 102
 Refund of fees, Platinum certification, 32
 Regional
 councils, 22
 Priority credit, 22, 25, 66
 Regionalization, 19, 22
 Regionally
 extracted material, 154
 manufactured material, 154
 Registration
 fee, 32
 project, 32
 Regularly occupied space, 154
 Rehabilitation, 70
 Relational contract, 58
 Relative humidity, 155
 Remediation, 155
 ex situ, 144
 in situ, 148
 Renewable
 energy, 155
 certificate (REC), 89, 155
 off-site, 89
 product, 89
 generation, on-site, 89
 material, 103
 Research Triangle Institute, 124
Residential Alternative Calculation Method Approval Manual, 127
 Residential Manual for Compliance with California's 2001 Energy Efficiency Standards, 130
 Resilient Floor Covering Institute, 130
 Resource Conservation and Recovery Act, 155
 Restoration, ecological, 142
 Retail rating systems (see LEED for Retail)
 Retained component, 155
 Retaking, LEED Green Associate exam, 12
 Retrofit isolation, 48
 Return air, 155
 Reuse, 155
 adaptive, 70, 136
Review of ANSI/ASHRAE Standard 62.1-2004: Ventilation for Acceptable Indoor Air Quality, 9
 Review process, 37
 Revocation of certification, 23
 Risk
 allocation, 113
 assessment, 155
 durability, 65
 integrated project delivery, 57
 Roof, 85, 87, 88
 low-slope, 149
 monitor, 100
 sawtooth, 100
 steep-slope, 156
 Roofing material, Energy Star, 78
 R-value, 80, 81, 155
- S**
- Salvaged material, 155
 Sample exam, LEED Green Associate, 8
 Sawtooth roof, 100
 SCAQMD (see South Coast Air Quality Management District)
 Schedule, project, 61
 Scheduling, LEED Green Associate exam, 10
 Schools rating system (see LEED for Schools)
 Scorecard, LEED Online, 33
 Sealant, 155
 nonporous, 151
 porous, 153
 Seasonal affective disorder, 155
 Sedimentation, 155
 plan, 108
 Selective
 pathway, 77
 surface, 85
 Sensor
 fixture, 144
 light-level, 100
 occupancy, 100
 Setback, 70
 Setpoint, 156
 Shading, 93
 vegetative, 81
 window, 78
 Shared (group) multi-occupant space, 156
 Sheet Metal and Air Conditioning Contractors' National Association (see SMACNA)
 Shelf, light, 99
 Shower valve, compensating, 140
 Sick building syndrome, 90, 156
 Simple payback analysis, 47
 Single purpose entity, 58
 SIP (see Structural insulated panel)
 Site
 area, 70
 assessment, 156
 LEED 2009 for Schools, 31
 boundary, 24
 feature, natural, 72
 inventory, 68
 selection, 67
 permanent, 23
 previously developed, 153
 Skin to volume ratio, 71
 Skylight, 99
 SMACNA (Sheet Metal and Air Conditioning Contractors' National Association), 108, 126
 Smart Location and Linkage (LEED ND), 41
 Smoke, environmental tobacco, 104
 Societal impact, 50
 Soft cost, 47
 Soil waste, 156
 Solar
 collector, 95
 cooling, passive, 90
 design, active, 95
 design, passive, 90
 heat gain coefficient, 156
 heating, passive, 90
 reflectance, 118, 119, 120, 121, 156
 index (SRI), 73, 156
 Source reduction, 156
 South Coast Air Quality Management District (SCAQMD), 130
 Rule 1113, *Architectural Coatings*, 130
 Rule 1168, *Adhesive and Sealant Applications*, 130
 Space occupied for critical visual tasks, 156
 Special provisions, LEED Green Associate exam, 10
 Species, invasive, 148
 Speculative development, 27
 Split review, 33, 36
 SRI (see Solar reflectance index)
 Square footage of a building, 156
 Standard
 building, 61
 Process for Commercial Energy Code Determination, 123
 Standardized payback equations, 47–48
 Startup amount, facility, 64
 Steel framing, 84
 Steep-slope roof, 156
 Steering Committee, LEED, 9, 18, 19, 37
 Storage, thermal, 95
 Stormwater, 74
 management, 68
 plan, 108
 mitigated, 150
 runoff, 156
 Strategy, LEED Green Associate exam, 8, 11
 Streamlined credit, 29
 Structural insulated panel (SIP), 84
 Student discounts, 10
Study of the Life Expectancy of Home Components, 66
 Submetering, 157
 Submittal
 requirements, waiving, 30
 template, 33, 36
 Sunset date, 24
 Superfund, 120, 140

- Supply air, 157
- Surface
 - impervious, 147
 - permeable, 152
 - selective, 85
- Sustainable
 - design, 51
 - forestry, 157
 - material, 102
 - purchasing
 - policy, 157
 - program, 157
 - Sites, 25, 67
- Sustainable Building Technical Manual*, 9, 59
- Swale, 157
 - grassed, 145
- Synergy, credit, 44
- System
 - lifetime, 157
 - operator, 157
 - performance testing, 157
- T**
- Technical
 - advisory group (TAG), 18, 34, 35, 37
 - and Scientific Advisory Committee, 37
- Temperate climate and building envelope, 79
- Template, submittal, 33, 36
- Tenant space, 27
- Tertiary treatment, 157
- The Treatment by LEED of the Environmental Impact of HVAC Refrigerants*, 9, 102
- Thermal
 - bridge, 78, 80, 157
 - comfort, 157
 - efficiency, 87
 - emissivity (emittance), 73, 148, 157
 - envelope, 157
 - load, 78
 - mass, 79, 95
 - storage, 95
- Threatened species, 157
- Threshold adjustment (LEED H), 40
- Tipping fee, 157
- Tips, LEED Green Associate exam, 10
- Tobacco smoke, environmental, 104
- Toilet
 - composting, 140
 - dual-flush, 142
 - high-efficiency, 146
- Tool for the Reduction and Assessment of Chemical and other Environmental Impacts, 20
- Toplighting, 99
- Total
 - normal emittance, 119
 - phosphorus, 157
 - suspended solids, 158
- Toxic Substances Control Act, 153
- TRACI, 20
- Trademarks and logos, 12–14
- Tradeoff, credit, 44
- Training, 112
- Transition period, 7
- Trombe wall, 84
- Tuck-under parking, 158
- Turbidity, 158
- Turf, conventional, 141
- Tvis, 158
- U**
- Underground parking, 158
- Uniformity, distribution, 142
- Uniform Plumbing Code, 128, 145
- Ureaformaldehyde, 158
- Urinal, non-water using, 151
- U.S.
 - Code of Federal Regulations, 121
 - Department
 - of Agriculture, 121
 - of Energy, 9, 39, 47, 59, 122, 123, 124, 143
 - of Housing and Urban Development, 66
 - of Justice, 9
 - Environmental Protection Agency, 2, 9, 59, 124, 130
 - Fish and Wildlife Service, 130
 - government, LEED use in, 2
 - Green Building Council (USGBC), 1, 2, 9, 10
 - Board of Directors, 22
 - committees, 17
 - logos and trademarks, 12–14
 - member discounts, 10, 18
 - membership, 17
 - regional councils, 22
 - volunteers, 17
 - USGBC (see U.S. Green Building Council)
 - Utility metering, 158
 - U-value, 158
- V**
- Vacuum system, control, 139
- Value engineering, 57
- Valve, compensating shower, 140
- Variable air volume, 158
- Vegetated
 - filter strip, 158
 - roof, 158
- Vegetation, 72
 - native/adapted, 150
- Vegetative shading, 81
- Vehicle
 - advanced technology, 137
 - alternative fuel, 137
 - high-occupancy, 146
 - hybrid, 146
 - mass transit, 149
 - sharing program, 68
 - zero emissions, 159
- Vendor, 139
- Ventilation, 104, 158
 - mechanical, 150
 - mixed-mode, 150
 - natural, 90, 94, 150
 - rate, corrected design, 141
 - rate procedure, 117
- Venting, 95
- Verification, 158
- View, 105
- Visible transmittance, 158
- Vision glazing, 158
- Volatile organic compound (VOC), 105, 158
- Volume to skin ratio, 71
- Volunteers, USGBC, 17
- W**
- Walk-off mat, 159
- Wall
 - system, 83
 - Trombe, 84
- Waste
 - disposal, 159
 - diversion, 159
 - diverted, 142
 - hazardous, 146
 - management, construction, 108, 109
 - program, 71
 - reduction, 159
 - policy, 159
 - soil, 156
 - systems (O&M), 111
- Wastewater, reclaimed, 75
- Water
 - body, definition 127
 - Efficiency (credit category), 25, 75
 - efficiency
 - indoor, 76
 - outdoor, 75
 - fixtures and systems (O&M), 111
 - heating, 101
 - management, exterior, 74
 - nonpotable, 151
 - potable, 153
 - Quality Act, 127
 - usage, baseline, 76
- Waterless urinal, 151
- WaterSense, 130
- Watershed, 159
- Weathered radiative property, 159
- Weighting credits, 19
- Well, dry, 142
- West-east building orientation, 71
- Wetland, 159
 - constructed, 141
 - definition, 121
 - vegetation, 159
- Whole-building
 - approach, 52
 - design, 59
- Whole facility measurement and verification, 48
- Wind energy, 159
- Window
 - clerestory, 99
 - design, 98
 - shading, 78
 - size and placement, 80
- Wood
 - composite, 140, 147
 - foundation, permanent, 82
 - framing, 83
 - product, engineered, 83
 - waste, 159
- Workplace
 - Group, 9
 - Hazardous Materials Information System, 159
- Workspace, individual occupant, 147
- World Resources Institute, 9
- X**
- Xeriscaping, 75, 159
- Z**
- Zero emissions vehicle, 159
- Zoning, 70
 - ordinances, 23
 - requirement, 68